




Safe-Rail[®] Manual Push Conveyors

Efficient & Expandable Material Handling



RICHARDS-WILCOX SAFE-RAIL®

The Richards-Wilcox Safe-Rail Monorail Conveyor System is the ideal solution for hand-push transport and storage applications. Developed in the 1930s, it provides an excellent starting point for mechanized product handling.

Constructed of standard Richards-Wilcox components, Safe-Rail can be added onto at any time to build a more sophisticated power monorail or power & free conveyor system. Because of its compatibility with all other Richards-Wilcox overhead conveyors, conversion time is minimal and higher levels of productivity and efficiency are achieved almost immediately.

FEATURES

Eight Standard Components


- Straight Track, 3/16" thick, the heaviest in the industry, stocked in 10' lengths
- Horizontal Curves, 3/16" thick, 90°, flame hardened
- Frog Switches
- VMTs automatically raise or lower product

- Welding Jigs
- Carrier Assemblies
- Turntables
- **Carrier Capacities**
 - Range from 125 to 1,000 pounds

Made in the U.S.A.

• Carrier Insert Section

Safe-Rail® Manual Push Conveyors



BENEFITS

• Maintains Quality.

Safe-Rail is a hand-push transport and storage alternative to manual rehandling of product. This decreases the potential for lost or damage product.

• Utilizes Space Efficiently.

Safe-Rail frees up vital floor space, providing product movement throughout a facility and allowing for organized product flow.

• Maximizes Product Storage.

LOAD BRACKET SPACING

Safe-Rail provides dedicated storage in user-specified areas. This system eliminates wasted space and efficiently stores product in an organized manner within the same work areas, day after day.

• Reduces Product Damage and Worker Injury. Since product is suspended from a Safe-Rail carrier, manual rehandling of product is kept to a minimum, reducing the chance of product damage. VMTs automatically raise and lower product, eliminating injuries related to lifting and bending.



Increases System Life.

Safe-Rail's enclosed track protects carriers and runways from dirt and other contaminants. Also, Safe-Rail's sliding frog plates support loads through switches providing both smooth travel and longer switch life.

• Facilitates Upgrades.

Safe-Rail components are compatible with all other Richards-Wilcox conveyor systems. As a result, Safe-Rail can be upgraded to a Zig-Zag or Twin-Trak system with 100 percent utilization of existing parts.

TYPICAL SAFE-RAIL APPLICATIONS

- Batch Paint Systems
- Tire Retread Systems
- Tool Support Systems
- Light-Duty Bridge Cranes
- Manual Transport
- Synthetic Fiber Handling
- and Assembly

Single Carriers Load (lbs)					Continuous Loading Load (lbs)				
	125	250	500	1,000	125	150	200	250	300
471 Support Spacing (ft.)	10	10	10	8	10	8	7	6	5
804 Support Spacing (ft.)	10	*	*	*	5	4.5	4	3.5	3

* Not Recommended

Richards-Wilcox offers complete engineering and controls design, in-house simulation, project management, and installation services for all of its conveyor systems. See how Richards-Wilcox ingenuity, engineering, and product excellence can design a better material handling solution for your business. For more information, please call 1-800-253-5668.



www.rwconveyor.com

Your Distributor: